

This document provides additional assistance with wiring your Extron IP Link enabled product to your device. Different components may require a different wiring scheme than those listed below.

For complete operating instructions, refer to the user's manual for the specific Extron IP Link enabled product or the controlled device manufacturer supplied documentation.

Device Specifications:

Device Type: Video Projector
Manufacturer: Mitsubishi
Firmware Version: 3.0
Model(s): WL6700U, WL6700LU, WL6700, XD2000

Minimum Software and Firmware Requirements:

IP Link Compiler	IP Link Firmware	GC Version
1.4.0	1.15	3.0.1

Version History:

Driver Version	Date	Notes
2	11/12/09	Extron Certified. Tested on XD2000. Added XD2000.
1	9/18/2009	Initial Extron Certified version. Tested on WL6700U firmware version 3.0

Driver Notes:

Password authentication is not supported. However, it is enabled on the projector by default. Please see the projector's user manual for how to disable the PJLink Authentication.

IP Link® Device Interface Ethernet Communication Sheet

Control Commands & States:

AV Mute	On	Off
Input	Computer 1 S-Video	Computer 2 DVI Video
Power Control	On	Off

Status Available:

AV Mute	On	Off
Connection Status	Connected	Disconnected
Device Status	Normal Temp Error Status Unavailable	Fan Error Cover Error Lamp Error Other Error
Input	Computer 1 S-Video	Computer 2 DVI Video
Lamp Status	On	Off
Lamp Usage	Hours	
Power Control	On	Off
Power Status	On Cooling Down	Off Status Unavailable Warming Up

IP Link[®] Device Interface Ethernet Communication Sheet

Network communication:

When configuring the Ethernet driver, be sure device settings match that of the GC configuration.

Port Type:	Ethernet
Default User Name:	[User name and password cannot be used with this driver]
Default Password:	[User name and password cannot be used with this driver]
Default Port:	4352
Multi-Connection Capable:	No
Port Changeable:	No
Logon Credentials Supported:	No

Ethernet Driver Configuration Description:**Notes for the Device:**